IS : 11108 - 1984 (Reaffirmed 2000) Edition 1.3 (1993-10)

Indian Standard

SPECIFICATION FOR PORTABLE FIRE EXTINGUISHERS — HALON 1211 TYPE

(Incorporating Amendment Nos. 1, 2 & 3)

UDC 614.845.4

© BIS 2005

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Price Group 4

Indian Standard

SPECIFICATION FOR PORTABLE FIRE EXTINGUISHERS — HALON 1211 TYPE

Fire Fighting Sectional Committee, BDC 22

Chairman Shri G. B. Menon E-73, Nanakpura, New Delhi

Members	Representing	
SHRI A. N. AHLUWALIA	The Institution of Fire Engineers (India), New Delhi	
SHRI B. R. MEHTA (Alternate)		
SHRI S. R. BANSAL	Steel Authority of India Ltd (Bokaro Steel Plant), Bokaro Steel City	
CHIEF FIRE OFFICER	Municipal Corporation of Delhi (Delhi Fire Service), Delhi	
SHRI R. K. BHARDWAJ (Alternate)		
SHRI K. K. DASGUPTA	West Bengal Fire Services, Government of West Bengal, Calcutta	
DEPUTY INSPECTOR GENERAL (RPSF) Assistant Security Officer (Fire), Northern Railway (A	Ministry of Railways	
SHRI V. P. DEWAN	Ministry of Defence (DGI)	
LT-COL V. R. BANAHATI (Alternate	2)	
SHRI R. R. DHOBLEY	Bhabha Atomic Research Centre, Bombay	
DIRECTOR	Home Department (Fire Service), Government of Tamil Nadu, Madras	
DEPUTY DIRECTOR (Alternate)		
DIRECTOR GENERAL OF FIRE SERVICES	Home (Police) Department, Government of Andhra Pradesh, Hyderabad	
DEPUTY DIRECTOR (FIRE SERVICES) (Alternate)	
Fire Adviser	Ministry of Home Affairs	
SHRI A. K. GUPTA	Central Building Research Institute (CSIR), Roorkee	
Shri J. S. Jamshedji	Steelage Industries Limited (Minimax Division), Bombay	
SHRI C. GHANARAJ (Alternate)	·	
SHRI P. KHANNA	Jayashree Textiles and Industries, Rishra	
SHRI V. V. KIMMATKAR	Oil and Natural Gas Commission, Dehra Dun	
	(Continued on page 2)	

© BIS 2005

BUREAU OF INDIAN STANDARDS

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)	
Members	Representing
SHRI S. N. KUNDU Managing Director	Fire and Safety Appliances Co, Calcutta Avon Services Pvt (Production and Agencies) Ltd, Bombay
TECHNICAL EXECUTIVE (Alternate)
COL S. A. MOHILE	Ministry of Defence (R & D)
SHRI A. K. SURI (<i>Alternate</i>)	
Shri M. Mukherji	Steel Authority of India Ltd (Rourkela Steel Plant), Rourkela
SHRI C. D. SHARMA (Alternate)	
SHRI V. B. NIKAM	Municipal Corporation of Greater Bombay (Bombay Fire Brigade), Bombay
Shri P. N. Panchal	Central Industrial Security Force (Ministry of Home Affairs). New Delhi
SHRI D. N. PANDIT	Directorate General of Supplies & Disposals, New Delhi
SHRI P. H. SETHNA SHRI N. T. PANJWANI (<i>Alternate</i>)	Kooverji Devshi and Co (P) Ltd, Bombay
SHRI D. K. SIRKAR	Synthetics & Chemicals Ltd, Bareilly
SHRI CHANDRAKANT M. SHAH SHRI M. H. SHAH (<i>Alternate</i>)	Zenith Fire Services, Bombay
SHRI J. V. SHAH SHRI B. J. SHAH (<i>Alternate</i>)	Newage Industries, Surendranagar (Gujarat)
SHRI TARIT SUR	Surex Production and Sales Pvt Ltd, Calcutta
SHRI SUSHIL KUMAR	Directorate General of Technical Development, New Delhi
SHRI J. N. VAKIL SHRI K. RAVI (<i>Alternate</i>)	Tariff Advisory Committee, Bombay
SHRI S. VENKASWAMY	Directorate General of Civil Aviation, New Delhi
SHRI B. V. WAGLE	Urban Development, Public Health and Housing Department, Government of Maharashtra, Bombay

SHRI V. H. MADKAIKAR (*Alternate*) SHRI G. RAMAN, D Director (Civ Engg)

Director General, ISI (*Ex-officio Member*)

Secretary SHRI K. M. MATHUR Senior Deputy Director (Civ Engg), ISI

Fire Fighting Equipment Subcommittee, BDC 22:2

Convener

SHRI G. B. MENON

In personal capacity (*E-73 Nanakpura, New Delhi 110021*)

Members

SHRI R. K. BHARDWAJ

The Institution of Fire Engineers (India), New Delhi

State Bank of India, Bombay

SHRI B. N. BHARDWAJ (*Alternate*) SHRI S. N. DESAI

(Continued on page 13)

Indian Standard

SPECIFICATION FOR PORTABLE FIRE EXTINGUISHERS — HALON 1211 TYPE

0.FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 28 September 1984, after the draft finalized by the Fire Fighting Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Halon 1211 type fire extinguishers are intended to be used in all cases of replacement for existing CTC type fire extinguishers, the use of which has been prohibited. Such type of fire extinguishers are suitable for fire fighting in confined space for all types of classes B and C fires (*see* IS : 2190-1979*). The Halon 1211, being non-conductive, can also be used safely on electrical fires and is suitable alternative to CO_2 or dry powder extinguishers. Manufacture, possession and use of any gas when contained in cylinder in compressed or liquified state is regulated under the Gas Cylinder Rules 1981, of the Government of India.

0.3 This edition 1.3 incorporates Amendment No. 1 (September 1988), Amendment No. 2 (May 1989) and Amendment No. 3 (October 1993). Side bar indicates modification of the text as the result of incorporation of the amendments.

0.4 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with IS: $2-1960^{\dagger}$. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard lays down the requirements regarding, material, shape, construction, anti-corrosive treatment and performance test of portable fire extinguishers of Halon 1211 type.

2. CAPACITY

2.1 The water capacity of the container when filled to the specified level shall be maximum 6.5 litres. This standard covers the capacities of 1.25, 2.5, 4, 5 and 6.5 kg.

^{*}Code of practice for selection, installation and maintenance of portable first-aid fire extinguishers (*second revision*).

[†]Rules for rounding off numerical values (*revised*).

3. PRINCIPLE

3.1 The extinguisher shall be designed to operate in the following ways:

- a) *1.25 kg Capacity* Inverted type having piercing type of valve. By inverting the extinguisher and striking the knob of the piercing mechanism against hard surface, the content shall be expelled in a continuous discharge (sealing disc being replaced at the time of recharging). The extinguisher shall be held in inverted position during the operation.
- b) *All Capacities* Upright type fitted with squeeze grip valves. By holding the extinguishers upright, removing the lock pin from the valve handle and pressing down the spring loaded spindle by pressing downwards the operation handle thereby controlled discharging the contents.

4 MATERIAL

4.1 The material for construction of various components are given in Table 1.

5 CONTENTS

5.1 Halon 1211 shall confirm to IS : 11070-1984*. The quantity shall be at temperature of 27 ± 5 °C :

a) For 1.25 kg capacity

1.25 kg $^{+50}_{-0}$ g and shall be charged to a pressure of 9.5 kgf/cm² \pm 0.5 kgf/cm².

b) For 2.5 kg capacity

2.5 kg $^{+50}_{-0}$ g and shall be charged to a pressure of 10.5 kgf/cm² \pm 0.5 kgf/cm².

c) For 4 kg capacity

4 kg + 50 g - 0 g and shall be charged to a pressure of 10.5 kgf/cm² \pm 0.5 kgf/cm².

d) For 5 or 6.5 kg capacity

5 or $6.5 \text{ kg} \stackrel{+}{}_{-0 \text{ g}}^{-0 \text{ g}}$ and shall be charged to a pressure of $10.5 \text{ kgf/cm}^2 \pm 0.5 \text{ kgf/cm}^2$.

5.11 The extinguishers shall be pressurized using dry nitrogen (see IS : $1747-1972^{\dagger}$).

^{*}Specification for bromochlorodifluoromethane (Halon 1211).

[†]Specification for nitrogen (*first revision*).

(<i>Clause</i> 4.1)				
SL No.		COMPONENT	MATERIAL	Conforming to Relevant Indian Standard
i)		Body	Steel	Grade D or DD of IS : 513-1986 ¹
ii)		Neck ring	Steel	or IS : 6240-1976 ² Any grade of IS : 226-1975 ³
				or Any grade of IS : 1875-1978 ⁴
				Any grade of IS : 7283-1974 ⁵ or
				Any grade of IS : 9550-1980 ⁶
iii)		a) Valve body	Leaded tin	Grade LTB-2 of IS : 318-1957 ⁷
		b) Nozzle ∫	Extruded brass section	Grade I of IS : 291-1977 ⁸
				or
• 、		a .		Type I of IS : 319-1974 ⁹
iv)		Spring	Steel (plated)	IS : 4454 (Part 1)-1981 ¹⁰
v)		Piercer/spindle	Steel	$15:6528-19/2^{-1}$
VI)		Siphon tube	Brass copper	Alloy No. 2 of 15 : 407-1981
				0^{Γ}
		a) Sealing nuts 1		15 : 1545-1962 Crade I of IS : 201 1077 ⁸
VII)		a) Searing fluts b) Piorco disc	Extruded brass	Grade 1 01 15 . 291-1977
		c) Discharge fitting	section	Type L of IS \cdot 310 1074 ⁹
viii)		Washer	Rubber	$137-1981$ IS $\cdot 937-1981$ IS
iv)		Sealing disc	Copper	IS · 1972-1977 ¹⁵
1A)	1	Specification for cold-	rolled low carbon stee	el sheets (<i>third revision</i>)
	2	Specification for hot-	rolled steel plate (ur	to 6 mm) sheets and strin for the
	~	manufacture of low pressure gas cylinders (<i>first revision</i>).		
	3	3 Specification for structural steel (standard quality) (<i>fifth revision</i>).		
	4	4 Specification for carbon steel billets, blooms, slabs and bars for forgings (fourth		
	5	revision).		
	6	Specification for not rolled bars for production of bright bars.		
	7	Specification for bright dars.		
	8	Specification for nevel brass rade and soctions (suitable for machining and		
	0	forging) (second revision).		
	9	9 Specification for free-cutting brass bars, rods and sections (<i>third revision</i>).		
	10	Specification for patented and cold-drawn steel wires — Unalloyed (<i>second revision</i>).		
	11	Specification for stainless steel wire.		
	12	Specification for brass	s tubes for general pu	rposes (third revision).
	13	Specification for solid	l-drawn copper alloy	tubes for condensers, and heat and
		heat exchangers (sec	ond revision).	
	14	Specification for wash	ers for water fittings	for fire fighting purposes (<i>revised</i>).
	15	Specification for copp	per plate, sheet and	strip for industrial purposes (<i>first</i>

TABLE 1 MATERIALS OF CONSTRUCTION OF VARIOUS COMPONENTS

6. SHAPE

6.1 The shape of the body shall be cylindrical and filling ratio shall not be more than 0.75 by volume.

7. CONSTRUCTION

7.1 The cylinder shall be of seamless or welded construction having | cold or hot drawn cylindrically portion with hemi-spherical ellipsoidal or tori-spherical ends welded to it or two halves cold or hot drawn and circumferential welded together. The end of dished part shall be having hemi-spherical, semi-ellipsoidal or tori-spherical shape and the end shall have cylindrical skirt or parallel portion of minimum length 10 mm or three times the shell thickness whichever is greater.

The welding shall be done by an electric arc welding process and shall conform to IS: $2825-1969^*$ and, if radiographed, to IS: $817-1966^{\dagger}$. There shall not be any longitudinal seam in the cylinder and number of circumferential seams shall not exceed two. The thickness of the shell and ends shall be calculated as in **7.1.1** and shall not be less than 1.4 mm. The neck-ring shall be welded with the body of the cylinder and shall be threaded to suit the type of valve hose.

7.1.1 The minimum thickness is calculated from the following formulae:

a) For cylindrical portion

$$t = \frac{ph D_0}{200 \times 0.8J R_e + ph} = \frac{ph D_1}{200 \times 0.8J R_e - ph}$$

b) For tori-spherical part or end

$$t = \frac{ph D_0}{200 \times 0.8J R_e + ph} \times \frac{KZ}{5}$$

c) For semi-ellipsoidal part end

$$t = \frac{ph D_0}{200 \times 0.8J R_e + ph} \times \frac{K (0.65 + 0.1 K)}{4}$$

where

t = calculated minimum wall thickness of cylindrical shell in mm from bursting point of view;

ph = test pressure above atmosphere (kgf/cm²);

 D_1 = inner diameter in mm;

 D_o = outer diameter in mm;

J = weld joint factor (0.9);

^{*}Code for unfired pressure vessels.

[†]Code of practice for use of metal arc welders (*revised*).

- $R_{\rm e}$ = yield strength in kgf/mm² (given in relevent Indian Standards);
- H =depth of dishing in mm;
- $K = \operatorname{ratio} D_0/H;$
- r = Kunckle radius in mm ($r \ge 0.1$);
- $R\,=\,{\rm dishing}\;{\rm radius}\;{\rm in}\;{\rm mm}\;(\;R\!\leq\!D_{\!0}\;);$ and

$$Z = \left\{ \frac{\frac{20 r}{H} + 3}{\frac{20 r}{R} + 1} \right\}$$

7.2 The screw threads for attachment of valve shall be in accordance with Class A of IS : 2643 (Part 1)-1975*. The neck-ring shall be secured to the body by welding or pressing (where welding shall be at least 20 mm away from the circumferential wall of the cylinder).

7.3 The valve shall be screwed for fixing to the neck-ring for not less than 12 mm effective thread length with parallel threads conforming to IS : 2643 (Part 1)-1975*.

7.4 Valve Mechanism

7.4.1 A spring-loaded piercing device shall be provided in the valve for piercing the seal of disc fitted inside the neck-ring. The piercing end shall be designed so as to ensure a clear opening in the disc seal when the piercer is operated. The safety clip shall be provided for prevention of accidents in operation of piercing mechanism and discharging the contents.

7.4.2 In case of squeeze grip valve assembly, a spring-loaded, pressure sealed sliding spindle shall be provided in such a way that it is operated by manual depression by means of a cantilever hinged grip lever. The spindle shall be so designed, that the extinguisher can be regulated by means of pressing and releasing the squeeze grip handle. A safety pin shall be provided for prevention of accidents which shall be fitted on cantilever hinged grip lever through valve body.

7.4.3 The length of the piercer/spindle shall be sufficient to pierce/operate the extinguisher by piercing/pressing the piercer.

7.5 Discharge Fittings

7.5.1 *Nozzle* — The discharge nozzle shall be screwed to valve body/hose or it can be an integral part of valve body. The design of the

 $[\]ast Specification$ for dimensions for pipe threads for fastening purposes: Part 1 Basic profile and dimensions.

nozzle and area of the orifice shall be such that it satisfies the performance requirement given in **10.5**.

7.5.2 For 'uprightly' designed extinguisher, a siphon tube shall be fitted to the bottom end of the valve.

7.5.3 *Hose* — It shall be required for 4.5 and 6.5 kg capacity and shall be either rubber or braided hose having bursting pressure of not less than 5 MN/m^2 (50 kgf/cm²). It shall have a nominal bore of 10 mm and length of not less than 300 mm.

7.6 Pressure Gauge — Pressure gauge shall be fitted to the extinguisher (except for inverted type) to indicate its internal | pressure. The gauge shall be marked suitably with normal pressure at which the extinguisher shall be charged and also indicate when it is wholly or partially released.

8. ANTI-CORROSIVE TREATMENT

8.1 On all internal and external surfaces of the body, anti-corrosive treatment shall be applied. The anti-corrosive treatment is of the following types. The thickness of the coating shall be measured by any of the methods given in IS : 3203-1982*.

a) Lead tin alloy (tin not less than 10 percent) shall be applied by hot dipping process or by electrical process, thickness not less than 0.012 mm.

I

b) Copper coating by suitable process, thickness not less than $0.005 \ \mathrm{mm}.$

9. PAINTING

9.1 Each extinguisher shall be painted fire red conforming to shade No. 536 of IS : 5-1978[†]. The paint shall conform to IS : 2932-1974[‡].

9.2 The picture showing the operation of the extinguisher in the correct manner shall be provided on the body of the extinguisher.

9.3 The extinguisher shall be marked with letters B and C indicating their suitability for the respective classes of fires laid down in IS : 2190-1979§. All the letters B and C shall be of 2.5 cm size printed in black colour centrally contained in a square of 4 cm size and circle of 2 cm radius respectively. The square and circle shall be coloured green conforming to shade No. 284 of IS : $5-1978^{\dagger}$. The paint shall conform to IS : 2932-1974[‡].

^{*}Method of testing local thickness of electroplated coatings (*first revision*).

[†]Specification for colours for ready mixed paints and enamels (*third revision*).

[‡]Specification for enamel, synthetic, exterior (a) under coating, (b) finishing (*first revision*).

[§]Code of practice for selection, installation and maintenance of portable first-aid fire appliances (*second revision*).

10. TEST REQUIREMENT

10.1 Hydrostatic Test — The extinguishers having 1.25 kg capacity shall be capable of withstanding the internal hydraulic pressure of 2.5 MN/m^2 (25 kgf/cm²) for a period of 30 seconds without leakage or visible distortion. For higher capacities, it should be tested at 3 MN/m^2 (30 kgf/cm²) for a period of 30 seconds without leakage or visible distortion. This test shall be carried out before the extinguishers are painted and after heat treatment.

10.2 Leakage Test — The fire extinguisher after being covered by inverted glass-transparent jar shall be dipped in suitable water tank filled with water, the level of which is sufficiently higher than the height of fire extinguisher for 24 hours. There shall not be any collection of even a single bubble on the inside top of the inverted glass after a lapse of 24 hours. The air bubble collected in first 6 hours shall be neglected.

NOTE 1 — The size of water tank will depend on lot size to be tested at a time. The fire extinguishers shall be arranged in rows having two grids having square opening the top one being about 8 cm below the top of fire extinguishers.

Note 2 — To ensure this requirement pneumatic leakage test may be conducted during in-process control.

10.3 Drop Test — This test shall be conducted at a temperature of $27 \pm 5^{\circ}$ C. The extinguisher shall be filled with water to 90 percent by volume and pressurized to its charged pressure (*see* **5.1**). The extinguisher complete with fittings shall be dropped from a height of 3 m to a concrete surface. Two drops shall be made for each extinguisher, first with cylinder axis horizontal and the second with cylindrical axis vertical with its head up. There shall be no leakage from the body permitting the loss of pressure after the test. The leakage shall be observed by immersing the extinguisher in water.

10.4 In case of ultimate failure test, mechanical failure shall not occur | at a pressure of less than 4 MN/m^2 (40 kgf/cm²).

10.5 The design and construction of extinguishers shall be such that when it is filled to the specified mass as determined by the difference of full mass in charged condition marked on the plate and then discharged at a temperature of $27 \pm 5^{\circ}$ C in its normal working position; it shall be capable of discharging not less than 95 percent of the liquid contents. The contents shall be expelled in the form of a

continuous discharge, which shall comply with the following requirements :

Capacity of Extinguisher	Minimum Period for Which Throw of Jet will be Maintained	Maximum Period to Discharge 95 percent of Contents	Range of Throw of Jet (Not Less Than)
kg	S	S	m
1.25	8	14	2
2.5	8	16	2
4	10	20	3
5	12	24	4
6.5	14	28	4

The test shall be carried out so that the stream is discharged in horizontal direction in still air conditions.

11. MARKING

11.1 Each extinguisher shall be clearly and permanently marked in accordance with the requirements laid down as under:

- a) Manufacturer's name and trade-mark;
- b) Method of operation in prominent letters;
- c) The words Halon 1211 in prominent letters;
- d) The capacity and charged pressure and whether radiographed;
- e) The words 'Send for re-charging immediately after use';
- f) Year of manufacture;
- g) Test pressure and capacity in kg;
- h) The tare and full weight (partly as gas and partly as liquid); and
- j) The words 'WARNING : Ventilate the area after use'.

11.2 BIS Certification Marking

The product may also be marked with Standard Mark.

11.2.1 The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

12. SAMPLING AND CRITERIA FOR CONFORMITY

12.1 The details of sampling and criteria for conformity is given in Appendix A.

APPENDIX A

(Clause 12.1)

SAMPLING AND CRITERIA FOR CONFORMITY

A-0. GENERAL

A-0.1 The risk involved in failure of a fire extinguisher to work when needed is extremely large. Fire extinguishers, therefore, ought to have a high degree of reliability of performance during the entire specified period of its service. It can be achieved only through adequate design and control of quality of all raw materials, component parts and fittings followed by process control in all stages of manufacture and assembly.

A-1. SAMPLING

A-1.1 All portable fire extinguishers of the same type, shape, design and capacity produced by the same manufacturer from similar materials under almost identical conditions of manufacture shall be grouped together to constitute a lot.

A-1.2 Each lot shall be considered individually for the purpose of evaluation of quality in accordance with this specification.

A-1.2.1 The number of samples for testing to be taken at random from a lot and the criteria for conformity shall be as given in **A-1.2.2**.

A-1.2.2 From each lot a number of samples as indicated below shall be selected at random.

Number of Items in the Lot	Sample Size
Up to 25	3
26 ,, 50	5
51 ,, 100	8
101 and up to 200	8 percent

A-1.2.3 They shall be examined visually as far as possible in respect of requirements specified in 2 to 7, 9 and 11 in respect of hydraulic pressure test (*see* 10.1), leakage test (*see* 10.2) and anti-corrosion treatment (*see* 8).

A-1.2.4 All the samples tested shall pass all these tests for the lot to be declared to conform to these requirements.

A-1.2.5 One sample shall then be examined for each of the properties drop test (*see* **10.3**), and performance test (*see* **10.5**).

A-1.2.6 In respect of bursting pressure (*see* **10.4**), the manufacturer shall produce a test certificate with the lot to the effect that these tests had been performed and had been found satisfactory in respect of the type of fire extinguishers presented in the lot. Alternatively, one sample shall be tested and the sample shall pass the test for the lot to be considered to conform to this requirement.

A-1.2.7 In the absence of a test certificate from a manufacturer about conformity of various components (*see* **4**) and the quality of charge (*see* **5**) to the requirement of this specification, from a sample fire extinguisher one item each of all the component parts and fittings shall be taken separately and examined individually in respect of the relevant requirements laid down in this specification. The sample shall also meet the requirements regarding the quality of charge (*see* **5**).

(Continued from page 2)

Members	Representing
Shri V. P. Dewan	Ministry of Defence (DGI)
LT-COL V. R. BANAHATI (Alternate	e)
Fire Adviser	Ministry of Home Affairs
Shri Jitendra Shah	Safex Fire Services, Bombay
SHRI V. KHURANA	Tariff Advisory Committee, Bombay
SHRI K. RAVI (Alternate)	
COL S. A. MOHILE	Ministry of Defence (R & D)
SHRI A. K. SURI (Alternate)	
SHRI P. N. PANCHAL	Central Industrial Security Force (Ministry of Home Affairs), New Delhi
SHRI HARISH SALOT	Vijay Fire Protection Systems Pvt Ltd, Bombay
Shri P. H. Sethna	Kooverje Devshi & Co Pvt Ltd, Bombay
SHRI N. T. PANJWANI (Alternate)	
Shri D. K. Sirkar	Synthetics & Chemicals Ltd, Bareilly

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

Headquarters:

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards : Monthly Additions'.

This Indian Standard has been developed by Technical Committee : BDC 22 and amended by CED 22

Amend No.	Date of Issue	
Amd. No. 1	September 1988	
Amd. No. 2	May 1989	
Amd. No. 3	October 1993	

Amendments Issued Since Publication

BUREAU OF INDIAN STANDARDS

-		
Manak Bł Telephone	avan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. s: 323 01 31, 323 33 75, 323 94 02	Telegrams: Manaksanstha (Common to all offices)
Regional (Offices:	Telephone
Central	: Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	$\left\{\begin{array}{c} 323 \ 76 \ 17 \\ 323 \ 38 \ 41 \end{array}\right.$
Eastern	: 1/14 C. I. T. Scheme VII M, V. I. P. Road, Kankurgachi KOLKATA 700054	337 84 99, 337 85 61 337 86 26, 337 91 20
Northern	: SCO 335-336, Sector 34-A, CHANDIGARH 160022	60 38 43 60 20 25
Southern	: C. I. T. Campus, IV Cross Road, CHENNAI 600113	235 02 16, 235 04 42 235 15 19, 235 23 15
Western	: Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	{ 832 92 95, 832 78 58 } 832 78 91, 832 78 92
Branches	AHMEDABAD. BANGALORE. BHOPAL. BHUBANES	SHWAR. COIMBATORE.

FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. NALAGARH. PATNA. PUNE. RAJKOT. THIRUVANANTHAPURAM. VISHAKHAPATNAM